



Biomeme

BIOMEME, INC. Safety Data Sheet

BPW - Biomeme Protein Wash

SECTION 1: Identification

1.1 Product identifier

Product name BPW - Biomeme Protein Wash
Brand Biomeme, Inc.

1.4 Supplier's details

Name: Biomeme, Inc.
Address: 401 N. Broad Street
Suite 222
Philadelphia, PA 19108
USA

Telephone: 267-930-7707
Email: support@biomeme.com
Emergency Number: +1 703-741-5970
Emergency Information: ChemTrec
2900 Fairview Park Drive,
Falls Church, VA 22042
USA

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

GHS classification in accordance with: OSHA (29 CFR 1910.1200)

- Flammable liquids, Cat. 2
- Acute toxicity, inhalation, Cat. 3
- Acute toxicity, dermal, Cat. 3
- Acute toxicity, oral, Cat. 3
- Specific target organ toxicity (single exposure), Cat. 1
- Eye damage/irritation, Cat. 2A

2.2 GHS label elements, including precautionary

statementsPictogram



Hazard statement(s)

H225 Highly flammable liquid and vapor
H331 Toxic if inhaled
H311 Toxic in contact with skin
H301 Toxic if swallowed

H370

Causes damage to organs [organs, route]

H319

Causes serious eye irritation

SECTION 3: Composition/information on ingredients**3.2 Mixtures****Hazardous components****1. Component 1 (trade secret)***

Concentration

0 - 20 % (volume)

- Flammable liquids, Cat. 2

H225

Highly flammable liquid and vapor

2. Component 2 (trade secret)*

Concentration

10 - 90 % (volume)

- Serious eye damage/eye irritation, Cat. 2

H319

Causes serious eye irritation

3. Component 3 (trade secret)*

Concentration

0 - 50 % (weight)

4. Component 4 (trade secret)*

Concentration

0 - 50 % (volume)

Trade secret statement (OSHA 1910.1200(i))

*The specific chemical identities and/or actual concentrations or actual concentration ranges for one or more listed components are being withheld as trade secrets under the US regulation 29 CFR 1910.1200(i).

SECTION 4: First-aid measures**4.1 Description of necessary first-aid measures**General advice
attendance.

Consult a physician. Show this safety data sheet to the doctor in

Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give
artificial respiration. Consult a physician.In case of skin contact
hospital.

Wash off with soap and plenty of water. Take victim immediately to

Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an
unconscious person. Rinse mouth with water. Consult a
physician.

Personal protective equipment for first-aid responders

No data available

4.2 Most important symptoms/effects, acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in
section 11

4.3 Indication of immediate medical attention and special treatment needed, if necessary

No data available

SECTION 5: Fire-fighting measures**5.1 Suitable extinguishing media**

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Specific hazards arising from the chemical

Carbon oxides

5.3 Special protective actions for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

Further information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations.

Vapours can accumulate in low areas. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build

up of electrostatic charge.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage class (TRGS 510): 3: Flammable liquids

Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****1. Component 1 (trade secret)***

PEL (Inhalation): 1000 ppm (OSHA)
OSHA Annotated Table Z-1, www.osha.gov

PEL (Inhalation): 1900 mg/m³ (OSHA)
OSHA Annotated Table Z-1,
www.osha.gov

PEL (Inhalation): 1000 ppm (Cal/OSHA)
OSHA Annotated Table Z-1,
www.osha.gov

REL (Inhalation): 1000 ppm (NIOSH)
OSHA Annotated Table Z-1,
www.osha.gov

TLV® (Inhalation): (ST) 1000 ppm; USA
(ACGIH) OSHA Annotated Table Z-1,
www.osha.gov

8.2 Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

8.3 Individual protection measures, such as personal protective equipment**(PPE) Eye/face protection**

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Thermal hazards

No data available.

Control banding approach

No data available.

Environmental exposure controls

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

SECTION 9: Physical and chemical properties**Information on basic physical and chemical properties**

Appearance/form (physical state, color, etc.)	Colorless
liquid Odor available	No data
Odor threshold	No data available
pH	No data available
Melting point/freezing point	No data available
Initial boiling point and boiling range	No data available
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability limits	No data available
Upper/lower explosive limits	No data available
Vapor pressure	No data available
Vapor density	No data available
Relative density	No data available
Solubility(ies)	No data available
Partition coefficient: n-octanol/water	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidizing properties	No data available

SECTION 10: Stability and reactivity**10.1 Reactivity**

No data available.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Heat, flames and sparks.

10.5 Incompatible materials

Acid chlorides, Acid anhydrides, Oxidizing agents, Alkali metals, Reducing agents, Acids

—

Alkali metals, Oxidizing agents, Peroxides

—

Strong oxidizing agents

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides
Other decomposition products - No data available

In the event of fire: see section 5

—

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Nitrogen oxides (NOx)
Other decomposition products - No data available

In the event of fire: see section 5

SECTION 11: Toxicological information**Information on toxicological effects****Acute toxicity**

LD50 Oral - Rat - male and female - > 1,187 - 2,769 mg/kg
Remarks: (ECHA) (Regulation (EC) No 1272/2008, Annex VI)

LDLO Oral - Human - 143 mg/kg

Remarks: Lungs, Thorax, or Respiration: Dyspnea. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

LC50 Inhalation - Rat - male and female - 4 h - 131.25 mg/l
Remarks: (ECHA) (Regulation (EC) No 1272/2008, Annex VI)

LD50 Dermal - Rabbit - 17,100 mg/kg
Remarks: (External MSDS) (Regulation (EC) No 1272/2008, Annex VI)

—
Component 1: ACGIH: A3 Confirmed animal carcinogen with unknown relevance to humans.

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation

Remarks: (ECHA) Drying-out effect resulting in rough and chapped skin.

Serious eye damage/irritation

Eyes - Rabbit

Result: No eye irritation

Remarks: (ECHA) Irritation of mucous membranes

Respiratory or skin

sensitization Maximisation

Test - Guinea pig Result: negative
(OECD Test Guideline 406)

Germ cell mutagenicity

Based on available data the classification criteria are not met. Ames test

S.

typhimurium

Result:

negative

In vitro mammalian cell gene mutation test fibroblast

Result: negative

OECD Test Guideline 474

Mouse - male and female - Bone marrow Result: negative

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

Based on available data the classification criteria are not met.

Summary of evaluation of the CMR properties

Based on available data the classification criteria are not met.

STOT-single exposure

Causes damage to organs. - Eyes

Acute inhalation toxicity - Irritation symptoms in the respiratory tract.

STOT-repeated exposure

No data available.

Aspiration hazard

No aspiration toxicity classification.

Additional information

Repeated dose toxicity - Rat - male and female - Inhalation - 28 d Subacute toxicity

Repeated dose toxicity - Rat - male and female - Inhalation - 365 d RTECS: PC1400000

Headache, Dizziness, Drowsiness, Coma, narcosis, Blindness, Impairment of vision, irritant effects, Nausea, Vomiting, agitation, spasms, inebriation

Drying-out effect resulting in rough and chapped skin. Stomach - Irregularities - Based on Human

Evidence Stomach - Irregularities - Based on Human Evidence

SECTION 12: Ecological information**Toxicity**

Toxicity to fish: flow-through test LC50 - *Lepomis macrochirus* (Bluegill) - 15,400.0 mg/l - 96 h (MComponent 1) (US-EPA)

Toxicity to daphnia and other aquatic invertebrates: EC50 - *Daphnia magna* (Water flea) - > 10,000 mg/l - 48 h (MComponent 1) Remarks: (ECHA) semi-static test EC50 - *Daphnia magna* (Water flea) - 18,260 mg/l - 96 h (MComponent 1) (OECD Test Guideline 202)

Toxicity to algae: static test ErC50 - *Pseudokirchneriella subcapitata* (green algae) - ca. 22,000.0 mg/l - 96 h (MComponent 1) (OECD Test Guideline 201)

Toxicity to bacteria: EC5 - *Pseudomonas fluorescens* - 6,600 mg/l - 16 h (MComponent 1) Remarks: (IUCLID) static test IC50 - activated sludge - > 1,000 mg/l - 3 h (MComponent 1) (OECD Test Guideline 209)

SECTION 13: Disposal

considerations SECTION 14:**Transport information****DOT (US)**

UN Number:

Class:

Packing Group:

Proper Shipping

Name: Reportable

quantity (RQ): Marine

pollutant:

Poison inhalation hazard:

IMDG

UN Number:

Class:

Packing Group:

EMS Number:

Proper Shipping Name:

IATA

UN Number:

Class:

Packing Group:

Proper Shipping Name:

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations specific for the product in question****New Jersey Right To Know Components**

CAS number: 64-17-5

CAS number: 60-00-4

Pennsylvania Right To Know Components

CAS number: 64-17-5

CAS number: 60-00-4

Massachusetts Right To Know Components

CAS number: 64-17-5

CAS number: 60-00-4

California Prop. 65 Components

WARNING! This product contains a chemical known to the State of California to cause cancer.

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

CAS number: 64-17-5

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 311/312 Hazards

Acute Health Hazard

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SECTION 16: Other information**16.1 Further information/disclaimer**

DISCLAIMER: The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of information for their particular purposes. In no event shall Biomeme, Inc. be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, whatsoever arising, even if Biomeme, Inc. has been advised of the possibility of such damages.